

### 1. Product and Company Identification

<b>Product name:</b>	Rix Gear Oil SAE 80W90 & sae 85W140
<b>Grades:</b>	SAE 80W-90, 85W-140
<b>Use:</b>	Lubricating oil for automotive gears
<b>Company:</b>	Rix Petroleum Limited Witham House 45 Spyvee Street Hull HU8 7JR Telephone No: (Hull) 01482 224422

### 2. Composition/Information on Ingredients

No	Name	EC-No.	CAS-No.	%-mass	Symbol(s)	R Phrases
1	Severely solvent refined mineral oil (IP346 DMSO extract < 3 %)			± 93	-	-
2	Olefin sulphide			2 - 5	-	R53
3	Phosphoric acid ester amine salt			1 - 2	N	R51/53
4	Alkenylamine	204-015-5	112-90-3	0.1 - 0.7	C,N	R22,R34,R43,R50
5	Substituted thiazazole	300-298-5	93925-00-9	0.1 - 0.5	Xi	R38,R41,R43,R52/53
6	Poly alkyl methacrylate				-	-

No substances are present in concentrations regarded to present a hazard (Directive 1999/45/EC).

The Symbols and R-phrases in section 2 apply only to individual constituents. See section 16 for the text of these R phrases.

### 3. Hazards Identification

<b>Health:</b>	Unlikely to cause eye irritation. Unlikely to cause immediate irritation but prolonged and repeated contact may be harmful to the skin. Not volatile. It is not likely to be an inhalation hazard at normal ambient temperatures. If overheated, fumes and vapours are irritating to the breathing passages and lungs. Ingestion is unlikely to cause adverse systemic health effects.
<b>Environmental:</b>	Although no specific ecological hazards are expected and bioaccumulation is unlikely, spillage into the environment should always be avoided.
<b>Physical / Chemical:</b>	Not applicable
<b>Additional Information:</b>	None



#### 4. FIRST AID MEASURES

<b>Eyes:</b>	Flush the eye with copious amounts of water. No emergency measures are necessary but if adverse eye effects follow, refer for medical attention.
<b>Skin:</b>	Wash the contaminated skin thoroughly with soap and water. No emergency measures are necessary but if adverse skin effects follow, refer for medical attention.
<b>Inhalation:</b>	Remove the affected person to fresh air. If recovery is not rapid, obtain medical attention.
<b>Ingestion:</b>	DO NOT INDUCE VOMITING. No emergency measures are needed but if adverse health effects follow, refer for medical attention.
<b>Additional Information:</b>	

#### 5. FIRE FIGHTING MEASURES

<b>Extinguishing media:</b>	<b>Recommended:</b> Dry chemical, foam, CO <sub>2</sub> , water mist. <b>Not to be used:</b> Direct water jet. Use water ONLY to keep fire-exposed containers cool.
<b>Specific exposure hazards:</b>	Slight flammability hazard when exposed to heat or flame.
<b>Special protective equipment for firefighters:</b>	Use self-contained breathing equipment when fighting fire in confined spaces.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions:</b>	No special measures needed.
<b>Environmental precautions:</b>	Water may be used to flush spills away from sources of ignition. Do not allow the product to enter public drainage system or open water courses.
<b>Methods for cleaning up:</b>	Absorb and scrape up.
<b>Absorbent materials:</b>	Sand or active clay.

#### 7. HANDLING AND STORAGE

<b>Handling:</b>	Avoid prolonged or repeated skin contact. Avoid inhalation of vapour, mist or fume. Do not wear contaminated clothing.
<b>Storage:</b>	Keep containers tightly closed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Engineering measures:</b>	No special measures needed.
<b>Control parameters:</b>	TWA TLV (ACGIH) : 5 mg/m <sup>3</sup> for oil mist. However, in all circumstances exposure should be kept as low as reasonably possible by good ventilation and safe working practices.
<b>Respiratory protection:</b>	Inhalation of the vapours, fumes or mists should be avoided by safe working practices and good ventilation.
<b>Eye protection:</b>	If there is a risk of splashing while handling product, eye protection should be worn (e.g. full face shield or goggles with side shields).
<b>Hand/skin protection:</b>	Prolonged and repeated skin contact should be avoided by the use of clean gloves and clean overalls PVC or nitrile gloves may be suitable.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Oily liquid
<b>Colour:</b>	Light yellow
<b>Appearance:</b>	Bright & clear
<b>Odour:</b>	Characteristic
<b>pH:</b>	Neutral
<b>Boiling range, °C:</b>	Initial boiling point (oil base) > 300
<b>Melting Point, °C:</b>	< -39 - < -12
<b>Flash Point, °C:</b>	> 166 (ASTM D92, COC)
<b>Autoflammability/ ignition, °C:</b>	> 300 (oil base)
<b>Upper explosion limit:</b>	Not known
<b>Lower explosion limit:</b>	Not known
<b>Vapour pressure, 20 °C, kPa:</b>	< 0.01 (oil base)
<b>Viscosity, kinematic, 40 °C, mm<sup>2</sup>/s:</b>	25 - 431
<b>Relative density, 15 °C:</b>	0.88 - 0.91
<b>Water solubility:</b>	Not soluble
<b>Partition coefficient, n-octanol/water:</b>	Not known
<b>Other data:</b>	

## 10. STABILITY AND REACTIVITY

<b>Conditions / materials to avoid:</b>	Stable. May react with strong oxidizing agents.
<b>Hazardous decomposition products:</b>	Thermal decomposition or incomplete combustion may produce oxides of carbon and irritating fumes.



### 11. TOXICOLOGICAL INFORMATION

<b>Eyes:</b>	Unlikely to cause eye irritation.
<b>Skin:</b>	Although incidental contact with the skin does not cause immediate irritation, prolonged and repeated contact may defat the skin and eventually cause dermatitis.
<b>Inhalation:</b>	Not volatile. It is not likely to be an inhalation hazard at normal ambient temperatures. If overheated, fumes and vapours are irritating to the breathing passages and lungs.
<b>Ingestion:</b>	Ingestion is unlikely to cause adverse systemic health effects.
<b>Other:</b>	The refined mineral base oils used in the formulation of this product are of a low order of toxicity in test animals. LD50 (rat) for base oils is above 5 g/kg.

### 12. ECOLOGICAL INFORMATION

<b>Mobility:</b>	Little mobility in soil. Some components may penetrate the soil causing ground water pollution. Will spread on the water surface. A small portion may be dispersed in water.
<b>Degradability:</b>	Not readily biodegradable.
<b>Ecotoxicity/bioaccumulation:</b>	The base oil components are not expected to be dangerous to the aquatic environment. Contains a small amount of additive components classified as dangerous to the aquatic environment.

### 13. DISPOSAL CONSIDERATIONS

Transport to authorized waste location, or incinerate under controlled conditions (EU Directives 2000/76/EC and 1999/31/EC apply).

European Waste Catalogue Code 13 02 05: mineral-based non-chlorinated engine, gear and lubricating oils.

### 14. TRANSPORT INFORMATION

<b>UN-no:</b>	Not classified
<b>RID / ADR:</b>	Not classified
<b>IMO:</b>	Not classified
<b>IATA / ICAO:</b>	Not classified
<b>Other:</b>	



Version: 1

Version of: **27.10.2008**This sheet supersedes the one dated: **17.11.1999****PAGE 5 of 5**

## 15. REGULATORY INFORMATION

### EC Labelling / Classification:

<b>Symbol(s):</b>	None
<b>Contains:</b>	Contains alkenylamine and substituted thiadiazole. May produce an allergic reaction
<b>R phrases:</b>	None
<b>S phrases:</b>	None
<b>Other regulations:</b>	Safety data sheet available for professional user on request.

## 16. OTHER INFORMATION

Text of R-phrases indicated in section 2:

R 53: May cause long term adverse effects in the aquatic environment.

R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 38: Irritating to skin.

R 41: Risk of serious damage to eyes.

R 43: May cause sensitization by skin contact.

R 52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 22: Harmful if swallowed.

R 34: Causes burns.

R 50: Very toxic to aquatic organisms.

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.